

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	108	makita-seiji.IN. or imasaka-masafumi.IN. or yoshimoto-tokuji.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 11:31
S2	2	S1 and (pump adj capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 09:05
S3	3916	yutaka.AS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 09:06
S4	84	S3 and (torque adj converter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 09:06
S5	2	S4 and (pump adj capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 09:06
S6	2	"6508345".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/07 09:15
S7	12	(torque adj converter) and ((pump adj capacity) WITH maximum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 09:43
S8	64	(torque adj converter) and (((pump or impellar)adj blade) SAME angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 09:45
S9	311	(((torque adj converter) and clutch) WITH series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 11:55
S10	0	(((torque adj converter) and clutch) WITH ("in series"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 11:33

S11	13	(((torque adj converter) and clutch) WITH series) and honda. AS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 11:34
S12	5	S9 and (pump adj capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 11:58
S13	452	192/3.25-3.27.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 11:59
S14	1	S13 and (pump adj capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 12:53
S15	159	192/3.21.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 11:59
S16	1	S15 and (pump adj capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 12:00
S17	424	60/361-362.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 12:29
S18	1	S17 and (pump adj capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 12:32
S19	32	S17 and (((pump or impeller) adj blade) WITH angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 12:30
S20	129	60/341.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 12:30

S21	0	S20 and (pump adj capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 12:30
S22	3	S20 and (((pump or impeller) adj blade) WITH angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 12:30
S23	18	S17 and (pump adj torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 12:44
S24	520	60/341.ccls. or 60/361-362.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 12:44
S25	6	S24 and (capacity adj coefficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 12:45
S26	1	S13 and (capacity adj coefficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 12:58
S27	2	S15 and (capacity adj coefficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 12:59
S28	345	416/180.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 12:59
S29	1	S28 and (capacity adj coefficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/01/07 12:59

S30	38	(US-20040026201-\$ or US-20040139742-\$).did. or (US-3797243-\$ or US-4080786-\$ or US-4155222-\$ or US-5255516-\$ or US-5279118-\$ or US-5313794-\$ or US-5487003-\$ or US-5700219-\$ or US-5999873-\$ or US-6003311-\$ or US-6374972-\$ or US-6382379-\$ or US-6390262-\$ or US-6487855-\$ or US-6508345-\$ or US-6712172-\$ or US-6793052-\$).did. or (US-2351517-\$ or US-2410185-\$ or US-2663148-\$ or US-2663149-\$ or US-2772538-\$ or US-2821839-\$ or US-2853855-\$ or US-2961830-\$ or US-2987940-\$ or US-3002356-\$ or US-3025720-\$ or US-3078739-\$ or US-3180179-\$ or US-3189144-\$ or US-3543517-\$ or US-3717996-\$).did. or (JP-2003278880-\$ or JP-62024070-\$).did. or (CA-2325320-\$).did.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	ON	2005/01/10 09:28
S31	6	S30 and creep	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	ON	2005/01/10 09:33
S32	6	S31 and series	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	ON	2005/01/10 09:33